

# PROIZVODNA LINIJA OGRO BY ARCHITECTS

Dizajn renomiranih arhitekata i industrijskih dizajnera

Još od 1930-ih godina OGRO njeguje blisku suradnju s arhitektima i dizajnerima koji okove promatraju kao važan element arhitektonskog oblikovanja.

Iz te suradnje nastali su proizvodi temeljeni na originalnim dizajnima istaknutih autora 20. stoljeća poput Petera Behrensa, Waltera Gropiusa i Wilhelma Wagenfelda.





# PROIZVODNA LINIJA OGRO BY ARCHITECTS



Savezni ured kancelara u Berlinu, Njemačka — OGRO 8928 by Wagenfeld

S proizvodnom linijom **OGRO by Architects** i vi imate mogućnost kreirati vlastite ručke, kvake i prozorske ručke.

Vaša ideja za nas je početna točka. Na temelju skica izrađujemo prvi funkcionalni prototip u stvarnoj veličini. Tako u kratkom vremenu nastaju manje i veće serije te projektno prilagođena posebna izdanja – uvijek izrađena po mjeri i u prepoznatljivom dizajnu.

1:1-Handmuster innerhalb von 15 Arbeitstagen

- 10 Jahre OGRO Garantie
- Planungssicherheit. Unsere Konstrukteure begleiten Sie bei der Realisierung Ihres Entwurfs.



OGRO by Bitsch/Nether/Teherani  
8200



OGRO by Botti  
8990/8995\*



OGRO by Braun-Feldweg  
8962



OGRO by de Bruyn/Cossmann  
8950\*



OGRO by Forstner  
8960



OGRO by KARAMUK KUO  
8905 **NOVO**



OGRO by KARAMUK KUO  
8102 **NOVO**



OGRO by Kister  
8880



OGRO by Kleihues  
8915 **NOVO**



OGRO by Kleihues  
8916 **NOVO**



OGRO by Marshall Strabala  
Bendo



OGRO by Poelzig  
8058



OGRO by Sieger  
8830



OGRO by Tchoban  
8920



OGRO by Wagenfeld  
8928



OGRO by Wagenfeld  
8972



OGRO by Wagenfeld  
8974



OGRO by Welter  
8890



\*dekorativni umetni element

Dodatne dizajnerske serije možete  
pronaći i u poglavlju proizvodne linije  
OGRO PREMIUM

#### DIN EN 1906:

Zahtjevi za kvake i  
gumbe za vrata

#### F Zaštita od požara

DIN EN 1634-1:  
Ispitivanja otpornosti vrata  
na požar

#### DIN 18273:

Garniture kvaka za protupo-  
žarna i protudimna vrata

#### E Put za evakuaciju

DIN EN 179:  
Mehanizmi za izlaz u nuždi  
s kvakom, certificirani  
prema normi DIN EN 179  
za evakuacijske i spasilač-  
ke putove

#### Brailleovo pismo

■ Nehrđajući čelik (ER)

■ Aluminij (Alu)